

Experiment 3: Modeling, Identification, and Control of a DC-Servomotor

Concepts emphasized: Dynamic modeling, time-domain analysis, system identification, and position-plus-velocity feedback control.

1. Introduction

DC-motors that are used in feedback controlled devices are called DC-servomotors [1–4]. Applications of DC-servomotors abound, e.g., in robotics, computer disk drives, printers, aircraft flight control systems, machine tools, flexible manufacturing systems, automatic steering control, etc. DC-motors are classified as *armature controlled* DC-motors and *field controlled* DC-motors [4].

This laboratory experiment will focus on the modeling, identification, and position control of an armature controlled DC-servomotor. In particular, we will first develop the governing differential equations and the Laplace domain transfer function model of an armature controlled DC-motor. Next, we will focus on the identification of the unknown system parameters that appear in the transfer function model of the DC-servomotor. Finally, we will develop and implement a position-plus-velocity, also known as proportional-plus-derivative (PD), feedback controller to ensure that the DC-motor angular position response tracks a step command.

2. Background

DC-motor modeling: A schematic representation of an armature controlled DC-motor is given in Figure 1. For an armature controlled DC-motor, the field current i_f is constant and the torque T_m generated at the DC-motor shaft is given by [2–4]

$$T_m = K_T i_a, \quad (2.1)$$

where K_T is the given motor torque constant (N-m/Amp) and i_a is the armature current (Amp). Note that for an armature controlled DC-motor, the back e.m.f. induced in the armature due to armature rotation is directly proportional to the armature angular velocity $\omega_m(t) \triangleq \frac{d\theta_m}{dt}$ where $\theta_m(t)$ is the angular position of the motor shaft. Thus, following [2–4]

$$V_b = K_b \frac{d\theta_m}{dt}, \quad (2.2)$$

where K_b is a given motor constant (Volt-sec/rad).




Figure 1: Armature Controlled DC-Motor

Next, note that the angular speed $\omega_m(t)$ of an armature controlled DC-motor is controlled by the armature voltage V_a . The differential equation relating the armature current i_a and the back e.m.f. V_b to the armature voltage V_a can be obtained by applying *Kirchhoff's Voltage Law* [1, 4]. In particular, according to the Kirchhoff's Voltage Law, at any given instant of time, the algebraic sum of voltages around any loop in any electric network is zero. Thus, a direct application of the Kirchhoff's Voltage Law to the armature circuit yields

$$L_a \frac{di_a}{dt} + R_a i_a + V_b = V_a. \quad (2.3)$$

Finally, we obtain the differential equation governing the motion of the mechanical load. First, note that in most applications, the DC-servomotor shaft is connected to a gear-box of a given gear-ratio K_g and the load is attached to the output shaft of the gear-box (e.g., see Figure 2). The gear-ratio K_g is give by $K_g \triangleq \frac{n_\ell}{n_m}$, where n_ℓ and n_m are the number of teeth on the load-side and the motor-side gears, respectively. It can be easily shown that the gear-ratio K_g relates the motor shaft angular position θ_m to the gear-box output shaft angular position θ_ℓ by $K_g = \frac{\theta_m}{\theta_\ell}$. In addition, it can be shown that the load inertia J_ℓ acting at the output shaft of the gear-box when reflected at the motor shaft is given by $\frac{1}{K_g^2} J_\ell$. Thus, an application of Newton's moment balance equation at the motor output shaft yields

$$J_m \frac{d^2 \theta_m}{dt^2} + \frac{1}{K_g^2} J_\ell \frac{d^2 \theta_m}{dt^2} + \frac{1}{K_g^2} b_t \frac{d\theta_m}{dt} = T_m,$$

which can be rewritten as

$$J_{\text{eq}} \frac{d^2\theta_\ell}{dt^2} + b_t \frac{d\theta_\ell}{dt} = K_g T_m, \quad (2.4)$$

where $J_{\text{eq}} = K_g^2 J_m + J_\ell$ is the total load inertia reflected at the motor shaft and b_t is the rotational viscous friction constant.




Figure 2: DC-Motor Experiment Test-Bed

Now, taking the Laplace transform of (2.1)–(2.4) and after some algebraic manipulations to eliminate the variables T_m , V_b , and i_a , we obtain

$$\frac{\theta_\ell(s)}{V_a(s)} = \frac{K_g K_T}{s \left(L_a J_{\text{eq}} s^2 + (L_a b_t + R_a J_{\text{eq}}) s + R_a b_t + K_g^2 K_T K_b \right)}. \quad (2.5)$$

In addition, the transfer function from input V_a to output ω_ℓ is given by

$$\frac{\omega_\ell(s)}{V_a(s)} = \frac{K_g K_T}{L_a J_{\text{eq}} s^2 + (L_a b_t + R_a J_{\text{eq}}) s + R_a b_t + K_g^2 K_T K_b}. \quad (2.6)$$

Now, assuming two real, simple roots of the characteristic equation of (2.6), *viz.*, p_e and p_m , partial fraction expansion of (2.6) yields

$$\frac{\omega_\ell(s)}{V_a(s)} = \frac{K_e}{s + p_e} + \frac{K_m}{s + p_m}. \quad (2.7)$$

Next, using the inverse Laplace transform, the forced response of the system (with zero initial condition) to the input $V_a(t)$ is given by

$$\omega_\ell(t) = \int_0^t \left[K_e e^{-p_e(t-q)} + K_m e^{-p_m(t-q)} \right] V_a(q) dq. \quad (2.8)$$

In most practical applications of armature controlled DC-motors, $p_e \gg p_m$; i.e., the electrical subsystem responds considerably faster than the mechanical subsystem. Hence, the first exponential

term in (2.8) decays rapidly. Thus, the response $\omega_\ell(t)$ in (2.8) is dominated by the mechanical subsystem $\frac{K_m}{s+p_m}$. For simplicity, in DC-servomotor control applications the influence of the electrical subsystem component ($\frac{K_e}{s+p_e}$) on the response $\omega_\ell(t)$ in (2.8) is commonly neglected [2-4]. This can alternatively be viewed as neglecting the armature inductance effect, L_a . This simplification yields a first-order transfer function model which relates the DC-motor load angular velocity response ω_ℓ to the armature voltage input V_a , and is given by

$$\frac{\omega_\ell(s)}{V_a(s)} = \frac{K_g K_T}{R_a J_{eq} s + R_a b_t + K_g^2 K_T K_b}. \quad (2.9)$$

Before proceeding, note that, it can be shown that in the SI-Units used for K_T and K_b , the numerical values of K_T and K_b are identical [3]. Finally, the transfer function model of (2.9) can be equivalently written as

$$\frac{\omega_\ell(s)}{V_a(s)} = \frac{K}{\tau s + 1}, \quad (2.10)$$

where K and τ are the dc-gain and the mechanical time-constant of the DC servomotor, respectively.

3. Objective

- i)* Analysis of DC-motor sensor characteristics.
- ii)* DC-motor system identification.
- iii)* PD control of the DC-motor to achieve the desired angular position step response characteristics.

4. Equipment List

- i)* PC with MultiQ-3 data acquisition card and connecting board
- ii)* Software environment: Windows, Matlab, Simulink, RTW, and WinCon
- iii)* SRV-02 DC-motor apparatus (See Figure 3) with potentiometer, optical encoder, and tachometer
- iv)* Universal power module: UPM-1503
- v)* Set of leads



Figure 3: SRV-02 DC-Motor Apparatus

5. Experimental Procedure

- i)* Using the set of leads, universal power module, SRV-02 DC-motor apparatus, and the connecting board of the MultiQ-3 data acquisition card, complete the wiring diagram shown in Figure 4.
- ii)* Start Matlab and WinCon Server. In the Matlab window, at the command prompt, type “Experiment3” and hit the **Enter** key. This Matlab script will change the directory from the default Matlab directory to the directory where all files needed to perform Experiment 3 are stored.
- iii)* You can now perform various steps of the DC-motor identification and control experiment. However, before proceeding, you **must** request your laboratory teaching assistant to check your electrical connections.
- iv)* From the **File** menu of the WinCon Server, select the option **Open** to load the experiment file “Experiment3.Pot.wcp.” This will load the files for determining the gain of




Figure 4: Wiring Diagram for DC-Motor ID and Control

the potentiometer K_{pot} ($\frac{\text{radian}}{\text{Volt}}$). A digital meter window will also appear on your desktop. The potentiometer gain K_{pot} relates the potentiometer output voltage V_{pot} to the load angular displacement θ_{ℓ} by $\theta_{\ell} = K_{\text{pot}} V_{\text{pot}}$. Next, from the **Window** menu of the WinCon Server, select the option **Simulink**. This will load the Simulink block-diagram “Experiment3_Pot.mdl” shown in Figure 5 to your desktop.

- a) In the WinCon Server interface, click the green **Start** button to acquire the potentiometer voltage response.
- b) Rotate the load connected to the output shaft (center gear) until the potentiometer voltage in the digital meter window shows 0 Volt. Please ensure that you get continuous variation in the neighborhood of this 0 Volt reading. If you note a discontinuity in the reading, turn the load by 180° and this will provide you close to 0 Volt reading. Read the angular position θ_0° of the load, corresponding to the 0 Volt potentiometer reading, off the protractor marked on the SRV-02 apparatus.




Figure 5: Simulink Block-Diagram for Determining Potentiometer Gain

- c) Rotate the load to $\theta_0 + 90^\circ$ and note the corresponding potentiometer voltage reading in the digital meter window.
 - d) Rotate the load to $\theta_0 - 90^\circ$ and note the corresponding potentiometer voltage reading in the digital meter window.
 - e) In the WinCon Server interface, click the red **Stop** button when you finish collecting the potentiometer voltage response data.
- v) Close the currently open digital meter window and the Simulink diagram. From the **File** menu of the WinCon Server, select the option **Open** to load the experiment file “Experiment3_Tach.wcp.” This will load the files for determining the gain of the tachometer K_{tach} ($\frac{\text{radian}}{\text{second-Volt}}$) and a plot window. The tachometer gain K_{tach} relates the tachometer output voltage V_{tach} to the load angular velocity ω_ℓ by $\omega_\ell = K_{\text{tach}}V_{\text{tach}}$. Next, from the **Window** menu of the WinCon Server, select the option **Simulink** which loads the Simulink file “Experiment3_Tach.mdl” shown in Figure 6 to your desktop.
- a) In the WinCon Server interface, click the green **Start** button. This applies a constant 1 Volt input to the DC-motor.
 - b) Measure the steady-state load angular speed and the corresponding steady-state tachometer output voltage reading in the plot window. **Hint:** Find the time re-




Figure 6: Simulink Block-Diagram for Determining Tachometer Gain

quired for 20 complete revolutions of the load and the corresponding steady-state tachometer output voltage reading at the end of 20 revolutions.

- c) In the WinCon Server interface, click the red **Stop** button when you finish collecting the tachometer voltage response data.

- vi) Close the currently open plot windows and the Simulink diagram. From the **File** menu of the WinCon Server, select the option **Open** to load the experiment file “Experiment3_DCID.wcp.” Next, from the **Window** menu of the WinCon Server, select the option **Simulink** which loads the Simulink file “Experiment3_DCID.mdl” shown in Figure 7 to your desktop. In this diagram, the gain K_{tach} must be supplied by you. Run this part of the experiment to acquire the transient and steady-state angular velocity step response of the DC-motor under load.

- vii) Close the currently open plot windows and the Simulink diagram. From the **File** menu of the WinCon Server, select the option **Open** to load the experiment file “Experiment3_PDCont.wcp.” Next, from the **Window** menu of the WinCon Server, select the option **Simulink** which loads the Simulink file “Experiment3_PDCont.mdl” shown in Figure 8 to your desktop. In this diagram, the gains K_{pot} and K_{tach} must be supplied by you. In addition, the gains K_P and K_D must be designed and supplied by you. In particular, design a PD feedback controller so that the DC-motor angular position step response ex-




Figure 7: Simulink Block-Diagram for DC-Servomotor System Identification

hibits a peak overshoot $M_p \leq 5\%$ with settling time $T_s \leq 1$ second. The feedback diagram of the DC-motor with the PD feedback controller is shown in Figure 9. The characteristic equation of the closed-loop system in Figure 9 can be used for the purpose of finding K_P and K_D such that the desired performance specifications are achieved. Before proceeding, you **must** request your laboratory teaching assistant to approve your gain values. Run the experiment to record the angular position step response of the DC-motor.

6. Analysis

- i)* Calculate K_{pot} and K_{tach} from the experimental data collected in steps *iv)* and *v)* of Section 5.
- ii)* Analyze the open-loop angular velocity step response obtained in step *vi)* of Section 5 to determine the dc-gain K and the mechanical time constant τ of the DC-servomotor system.
- iii)* Obtain the angular velocity step response of the first-order system (2.10) with the parameters K and τ obtained in step *ii)* above. Compare the simulated angular velocity step response with the experimental response obtained in step *vi)* of Section 5 and comment.




Figure 8: Simulink Block-Diagram for DC-Servomotor PD Control




Figure 9: Closed-Loop Feedback Interconnection for PD Control of a DC-Motor

- iv) Analyze the closed-loop angular position step response obtained in step *vii*) of Section 5 to determine if the performance specifications are satisfied. Comment on your results.
- v) Design a proportional-integral-derivative (PID) controller so that the performance requirements specified in Section 5 are satisfied. Simulate the closed-loop angular position step response with the PID controller. Compare with the experimental closed-loop angular position step response obtained using the PD controller.

References

1. W. Bolton *Mechatronics: Electronic Control Systems in Mechanical and Electrical Engineering*, Addison Wesley, New York, NY, 1999.
2. R. C. Dorf and R. H. Bishop *Modern Control Systems*, Addison Wesley, Menlo Park, CA, 1998.
3. B. Kuo *Automatic Control Systems*, Prentice-Hall, Englewood Cliffs, NJ, 1995.
4. K. Ogata *Modern Control Engineering*, Prentice-Hall, Upper Saddle River, NJ, 1997.